

**E&H services Inc.**  
**Testing laboratory**  
**CAI Accredited Testing Laboratory No. 1665**  
**according to ČSN EN ISO/IEC 17025:2005**  
**building VÚHŽ, 739 51 Dobrá 240**



## TEST REPORT No. 1763/2020

**Customer :** SLR,s.r.o.  
Bastova 6  
Košice 04001

**Set No. :** 878/2020  
**Sample Received :** 1.12.2021 15:30  
**Sample Analyzed :** 1.12.2021 - 9.12.2021  
**Order No. :** Not mentioned

### Information about sample No.: 2537

**Sampling Date and Time :** Not mentioned  
**Sample name :** Strawberry cookie, kvety  
**Sample type :** Vegetable materials  
**Sampled by :** Customer  
**Sampling purpose :** On the customer request

### Results - chemical analysis

| Parameter                          | Value | Unit | Kind | Method used | Uncertainty |
|------------------------------------|-------|------|------|-------------|-------------|
| Cannabidiol (CBD)                  | 15    | mg/g | A    | SOP 16.02   | ± 30%       |
| Cannabidiol Acid                   | 120   | mg/g | A    | SOP 16.02   | ± 30%       |
| Cannabigerol                       | 0,74  | mg/g | A    | SOP 16.02   | ± 30%       |
| Cannabigerolic Acid                | 9,7   | mg/g | A    | SOP 16.02   | ± 30%       |
| delta-9-tetrahydrocannabinol (THC) | 0,44  | mg/g | A    | SOP 16.02   | ± 30%       |
| tetrahydrocannabinolic acid        | 13    | mg/g | A    | SOP 16.02   | ± 30%       |
| Cannabinol                         | 0,024 | mg/g | A    | SOP 16.02   | ± 30%       |
| Sum of CBD                         | 12,9  | %    | N    | calculation | ± 30%       |
| Sum of CBG                         | 1,1   | %    | N    | calculation | ± 30%       |
| Sum of THC                         | 0,13  | %    | N    | calculation | ± 30%       |

**Notice to sampling :** The sampling itself is not a subject of accreditation.

This Report can be reproduced only complete, its part only with the written permission of this testing laboratory.

Results are only for tested samples.

These expanded uncertainties of measurement are obtained by multiplying of standard uncertainty of measurement by extending coefficient  $k=2$  (for confidence level 95%). Uncertainty of sampling not included.

"<" - result is below the detection limit, ">" - result is higher than mentioned value

Methods in Kind column: "A" accredited test, "N" non-accredited test

**Checked by :** Lisník Jiří, MSc.  
**Completed by :** Jungová Kateřina, MSc.  
**Number of pages :** 2  
**Date :** 9.12.2021



Tomáš Ocelka, Dipl. Ing., Ph.D.  
head of Testing Laboratory

